

David M. Davignon, Chairman Thomas Fortin, Clerk Robert Medeiros, Inspector

Joseph Correia, Health Agent Patrick Hannon, Asst. Health Agent

COMMONWEALTH OF MASSACHUSETTS **TOWN of ACUSHNET** PARTING WAYS BUILDING 130 MAIN STREET, ACUSHNET, MA 02743 OFFICE of the BOARD of HEALTH

Telephone: (508) 998-0200 Fax: (508) 998-0277 http://www.acushnet.ma.us

Wanda Hamer, Senior Clerk Joann DeMello, Senior Clerk

Public Meeting Notice August 1, 2023

Pamela Labonte 130 Main Street Acushnet, MA 02743

Notice is hereby given that the Acushnet Board of Health will hold a meeting on <u>Tuesday, August 1,</u> <u>2023 at 5:00 p.m.</u> The meeting will be held in the Board of Health Office, 2nd floor, Parting Ways Building located at 130 Main Street, Acushnet, MA 02743.

- I. Call to Order
- II. Appointment
- III. Correspondence
 - 1. Letter from Community Nurse and Home Care Statistics for June 2023, review of matters presented; votes may be taken.
 - 2. Massachusetts Department of Public Health, Arbovirus Report ending July 2023, review of matters presented, votes may be taken.
 - 3. Final Intermunicipal Agreement for shared services between the Town of Acushnet, Town of Fairhaven and the City of New Bedford, review of matters presented, votes may be taken.
- IV. Approve Septic Design Plans/Subdivision Plan Review

1. <u>5 Middlewood Drive – Sean Borges</u>

Septic repair plan. Review of matters presented, votes may be taken.

2. 24 Frank Street – G. Newell & S. Szyndlar

Septic repair plan. 3 variances requested. #1. Groundwater separation less than 4 feet. #2. Leaching field less than 10 feet from the bulkhead walls. #3. To allow less than 2 test pits within the proposed leaching area. Review of matters presented, votes may be taken.

3. 240 Keene Road – Jason Carvalho

Previously approved plan June 10, 2022. Change leaching field from Quick 4's to Pipe and Stone. Review of matters presented, votes may be taken.

4. <u>115 Manchester Lane – Acushnet Company</u>

New Construction. Review of matters presented, votes may be taken.

5. 250 Mendall Road – Scott Vurpillatte

Septic repair plan. 1 variance requested. Reduction of the requirement of a twelve inch separation between the inlet and outlet tees, pump chamber and high groundwater, provided all boots or pipe joints are sealed with hydraulic cement or installed with watertight sleeves and the tank is prover watertight. Review of matters presented, votes may be taken.

6. 26 Lake Street – Roger & Nancy Nadeau

Septic repair plan. No variances. Review of matters presented, votes may be taken.

- V. Discussion
- VI. Approve Minutes June 13, 2023, review of matters presented, votes may be taken.
- VII. Schedule next meeting date
- VIII. Sign vouchers
- IX. Adjournment